




UNITED STATES PATENT AND TRADEMARK OFFICE.

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
08/973,210	04/03/1998	MATS LEIJON	70554-2/8137	6583
25269	7590	09/09/2004	EXAMINER	
DYKEMA GOSSETT PLLC FRANKLIN SQUARE, THIRD FLOOR WEST 1300 I STREET, NW WASHINGTON, DC 20005			NGUYEN, TUYEN T	
			ART UNIT	PAPER NUMBER
			2832	

DATE MAILED: 09/09/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 08/973,210	Applicant(s) LEIJON, MATS 	
	Examiner TUYEN T NGUYEN	Art Unit 2832	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 17 March 2004.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-6,8-11,13-27,31,33 and 36-38 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-6,8-11,13-27,31,33 and 36-38 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1-6, 8-11, 13-27, 31, 33 and 36-38 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hay (US 4,523,169) in view of Elton et al. (4,853,565) and Takaoka et al. (US 5,094,703).

Hay discloses a three-phase dry-typed transformer (figure 1) comprising:

- a three leg core structure (36);
- at least one winding (44) wound about the leg of the core structure, wherein the winding formed of a flexible conductor; and
- a plurality of ducts [204].

Hay discloses the instant claimed invention except for the specific structure of the flexible conductor.

Elton et al. discloses the electrical cables (100, figure 7) configured for use with an electrical device (see column 1, lines 15-25), comprising:

- an electrically conducting core (102);
- a plurality of electrically conducting strands (see column 7, lines 17-18);
- an inner first semiconducting layer (104) surrounding and contacting the core;
- an insulating layer (106) arranged on an outside of the first semiconducting layer; and

Art Unit: 2832

- a second semiconducting layer (110) surrounding the insulating layer, wherein the second semiconducting layer has an equipotential surface sunounding the conductor (see column 7, lines 24-26) connected to earth potential (see column 7, lines 26-27) and is void free (see column 8, lines 3-91).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to use the cable of Elton et al. in Hay for the purpose of equalizing the electric potential and minimizing corona discharge.

Hay in view of Elton et al. discloses the instant claimed invention except for the conductor including a plurality of insulated strands and at least one un-insulated strand.

Takaoka et al. discloses a high-voltage cable having the specific size range diameter (see column 1, lines 22-29), wherein the cable including a plurality of insulated strands and at least one un-insulated strands.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the cable of Grimes et al. in view of Elton et al. to have the conductor area which is between about 30 and 3000 mm² and with an outer cable diameter which is between about 20 and 250 mm and the strands insulation structure, as suggested by Takaoka et al., for the purpose of increasing power handling capacity.

Regarding claims 24-26, the claimed method steps would have been inherent in the product structure.

Response to Arguments

Applicant's arguments with respect to claims 1-6, 8-11, 13-27, 31, 33 and 36-38 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to TUYEN T NGUYEN whose telephone number is 571-272-1996. The examiner can normally be reached on M-F 8:30-6:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, ELVIN ENAD can be reached on 571-272-1990. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2832

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

TTN TTN

Junglin T. Nguyen